

I TYPE-A (ECONOMICAL)

WZ06-10



WZ09-18



Model	WZ06-10	WZ09-18
Dimensions	5000*1150*2800mm	4400*1665*2550mm
Operating weight	1800KG	2400KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	18.2KW	37KW
Engine type	Diesel, 3-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	700KG	1000KG
Capacity	0.2m ³	0.5m ³
Max.dump height	2000mm	2300mm
Backhoe performance		
Capacity	0.08m ³	0.08m ³
Bucket width	400mm	400mm
Max. Dig depth	2400mm	1200mm

WZ08-12



WZ10-20



Model	WZ08-12	WZ10-20
Dimensions	5100*1350*2580mm	5500*1750*2650mm
Operating weight	2500KG	3400KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	37KW	37KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	1000KG	1500KG
Capacity	0.5m ³	0.75m ³
Max.dump height	2200mm	2800mm
Backhoe performance		
Capacity	0.08m ³	0.1m ³
Bucket width	400mm	400mm
Max. Dig depth	1500mm	2000mm

WZ15-26D



WZ15-26



Model	WZ15-26D	WZ15-26
Dimensions	5600*1850*2450mm	5800*1850*2750mm
Operating weight	4200KG	4800KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	58KW	58KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	1800KG	2000KG
Capacity	0.9m ³	1.0m ³
Max.dump height	3000mm	3300mm
Backhoe performance		
Capacity	0.13m ³	0.15m ³
Bucket width	460mm	500mm
Max. Dig depth	2200mm	2700mm

WZ20-28



WZ25-30



Model	WZ20-28	WZ25-30
Dimensions	6200*1960*2800mm	6500*2040*2800mm
Operating weight	5400KG	6000KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	76KW	92KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	2500KG	3000KG
Capacity	1.25m ³	1.5m ³
Max.dump height	3500mm	3500mm
Backhoe performance		
Capacity	0.3m ³	0.3m ³
Bucket width	600mm	600mm
Max. Dig depth	2600mm	2600mm

WZ30-40



Model	WZ30-40
Dimensions	7000*2100*2950mm
Operating weight	7500KG
Wheel drive	4x4
Transmission type	Hydraulic, Automatic
Engine	
Engine power	92KW
Engine type	Diesel, 6-Cylinder
Loader performance	
Rated load	3500KG
Capacity	1.75m ³
Max.dump height	3500mm
Backhoe performance	
Capacity	0.3m ³
Bucket width	650mm
Max. Dig depth	3000mm

I TYPE-B (COMFORTABLE)

WZ15-10



WZ15-20



Model	WZ15-10	WZ15-20
Dimensions	5600*1600*2700mm	5200*1600*2560mm
Operating weight	3000KG	2800KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	37KW	37KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	1000KG	1200KG
Capacity	0.5m ³	0.6m ³
Max.dump height	2200mm	2430mm
Backhoe performance		
Capacity	0.15m ³	0.12m ³
Bucket width	300mm	475mm
Max. Dig depth	2000mm	2350mm

WZ25-18



WZ28-20



Model	WZ25-18	WZ28-20
Dimensions	6800*1900*2800mm	7600*2100*2950mm
Operating weight	3800KG	5500KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	42KW	65KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	1800KG	2000KG
Capacity	0.8m ³	1.0m ³
Max.dump height	2900mm	3500mm
Backhoe performance		
Capacity	0.18m ³	0.2m ³
Bucket width	350mm	450mm
Max. Dig depth	2500mm	2700mm

WZ30-25



WZ40-28



Model	WZ30-25	WZ40-28
Dimensions	7600 × 2100 × 2900mm	7600 × 2200 × 3100mm
Operating weight	6000KG	6500KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	76KW	85KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	2500KG	2800KG
Capacity	1.3m ³	1.4m ³
Max.dump height	3500mm	3600mm
Backhoe performance		
Capacity	0.3m ³	0.35m ³
Bucket width	600mm	620mm
Max. Dig depth	4000mm	4000mm

WZ40-30

Model	WZ40-30
Dimensions	7600 × 2380 × 3300mm
Operating weight	8000KG
Wheel drive	4x4
Transmission type	Hydraulic, Automatic
Engine	
Engine power	91KW
Engine type	Diesel, 4-Cylinder
Loader performance	
Rated load	3000KG
Capacity	1.5m ³
Max.dump height	3600mm
Backhoe performance	
Capacity	0.35m ³
Bucket width	700mm
Max. Dig depth	4000mm

I TYPE-C (LUXURIOUS)**WZ30-25C****WZ388**

Model	WZ30-25C	WZ388
Dimensions	7600 × 2260 × 2900mm	6150x2350x3763mm
Operating weight	7200KG	8000KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	85KW	85KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	2500KG	3000KG
Capacity	1.3m ³	1.3m ³
Max.dump height	2742mm	2742mm
Backhoe performance		
Capacity	0.3m ³	0.3m ³
Bucket width	600mm	600mm
Max. Dig depth	4000mm	4000mm

WZ40-30CX



WZ3CX



Model	WZ40-30CX	WZ3CX
Dimensions	6450x2500x3120mm	6150 × 2350 × 3763mm
Operating weight	9000KG	8300KG
Wheel drive	4x4	4x4
Transmission type	Hydraulic, Automatic	Hydraulic, Automatic
Engine		
Engine power	91KW	85KW
Engine type	Diesel, 4-Cylinder	Diesel, 4-Cylinder
Loader performance		
Rated load	3000KG	3000KG
Capacity	1.5m ³	1.3m ³
Max.dump height	2800mm	2742mm
Backhoe performance		
Capacity	0.35m ³	0.3m ³
Bucket width	620mm	600mm
Max. Dig depth	4000mm	4000mm

WZ4CX



Model	WZ4CX
Dimensions	6500x2500x3800mm
Operating weight	9200KG
Wheel drive	4x4
Transmission type	Hydraulic, Automatic
Engine	
Engine power	75KW
Engine type	Diesel, 4-Cylinder
Loader performance	
Rated load	3000KG
Capacity	1.5m ³
Max.dump height	2800mm
Backhoe performance	
Capacity	0.3m ³
Bucket width	600mm
Max. Dig depth	4000mm

OPTIONAL ATTACHMENTS FOR LOADER



Quick Hitch

Grappler

Europe Grapple

Log Fork




Pallet Fork

Hydraulic Adjustable
Distance Device

Bale Spear Fork

Soft Clamp

Auger with
Reduction MotorHydraulic
Breaking HammerDozer Blade
with SteeringSnow Blade
with Steering

Grab Bucket

6 in 1 Bucket

Mixing Bucket

Roller Compactor



Disc Trencher

Trencher

Grass Mower

Tree Sawing Machine

Sweeper with
Water Sprinkler

Sweeper

Snow Sweeper

Snow Blower

OPTIONAL ATTACHMENTS FOR BACKHOE



Quick Hitch

Hydraulic
Breaking HammerAuger with
Common MotorAuger with
Reduction Motor


Thumb Grappler

Grappler

Ripper

Rake

LOADER




Rotary Cultivator

Hydraulic
Vibratory Compactor

Screw Log Splitter

Saw Head



Hydraulic Side Shifter

Hydraulic Telescopic Arm

Pallet Fork

Mechanical Thumb
for Bucket



Hydraulic Thumb
for Bucket

Hydraulic
Thumb Bucket

Teeth Bucket from
20cm to 100cm

Toothless Bucket
from 50cm to 120cm

OTHER ATTACHMENTS



Floating Function
for Loader Bucket

Air Conditioner

Cab Heater

Cold Start Preheater



Hydraulic Joystick
for Loader

Hydraulic Joystick
for Backhoe

Backup Camera

Digging Camera



Running Timer

Solid Tire

Agricultural Tire

Cummins, Yanmar,
EPA Tier 4, Euro V

SHIPPING

