



ELECTRIC FORKLIFT —



Model	SEC10	SEC15
Power type	Lead-acid batteries	Lead-acid batteries
Rated capacity	1000KG	1500KG
Lift height	3000mm	3000mm
Fork size	1070 × 100 × 30mm	1070 × 100 × 35mm
Length(without fork)	1980mm	2230mm
Width	1020mm	1096mm
Overhead guard height	1847mm	2110mm
Weight	1570KG	2150KG



Model	SEC20	SEC25
Power type	Lead-acid batteries	Lead-acid batteries
Rated capacity	2000KG	2500KG
Lift height	3000mm	3000mm
Fork size	1070 × 100 × 40mm	1070 × 122 × 40mm
Length(without fork)	2230mm	2230mm
Width	1096mm	1160mm
Overhead guard height	2110mm	2110mm
Weight	2550KG	3100KG

SEC30



SEC35



Model	SEC30	SEC35
Power type	Lead-acid batteries	Lead-acid batteries
Rated capacity	3000KG	3500KG
Lift height	3000mm	3000mm
Fork size	1070 × 122 × 45mm	1070 × 122 × 45mm
Length(without fork)	2700mm	2700mm
Width	1225mm	1225mm
Overhead Guard Height	2200mm	2200mm
Weight	4300KG	4400KG

SEC40



SEC45



Model	SEC40	SEC45
Power type	Lead-acid batteries	Lead-acid batteries
Rated capacity	4000KG	4500KG
Lift height	3000mm	3000mm
Fork size	1070 × 145 × 50mm	1070 × 150 × 50mm
Length(without fork)	2990mm	2990mm
Width	1585mm	1585mm
Overhead Guard Height	2350mm	2350mm
Weight	6660KG	6850KG

SEC50



Model	SEC50
Power type	Lead-acid batteries
Rated capacity	5000KG
Lift height	3000mm
Fork size	1070 × 150 × 55mm
Length(without fork)	2990mm
Width	1585mm
Overhead Guard Height	2350mm
Weight	7100KG



- CUSTOMIZABLE HEIGHT AVAILABLE.
- CUSTOMIZABLE LITHIUM BATTERY AVAILABLE.



DIESEL FORKLIFT

SCC20



SCC25



Model	SCC20	SCC25
Power type	Diesel	Diesel
Rated capacity	2000KG	2500KG
Lift height	3000mm	3000mm
Fork size	1070 × 100 × 40mm	1070 × 122 × 40mm
Length(without fork)	2595mm	2595mm
Width	1160mm	1160mm
Overhead Guard Height	2220mm	2220mm
Weight	3260KG	3510KG

SCC30



SCC35



Model	SCC30	SCC35
Power type	Diesel	Diesel
Rated capacity	3000KG	3500KG
Lift height	3000mm	3000mm
Fork size	1070 × 122 × 45mm	1070 × 122 × 50mm
Length(without fork)	2750mm	2750mm
Width	1240mm	1240mm
Overhead Guard Height	2220mm	2220mm
Weight	4100KG	4390KG



SCC40



SCC45



Model	SCC40	SCC45
Power type	Diesel	Diesel
Rated capacity	4000KG	4500KG
Lift height	3000mm	3000mm
Fork size	1070 × 122 × 50mm	1070 × 150 × 50mm
Length(without fork)	2820mm	3240mm
Width	1240mm	1480mm
Overhead Guard Height	2220mm	2275mm
Weight	4550KG	6490KG

SCC50



SCC60



Model	SCC50	SCC60
Power type	Diesel	Diesel
Rated capacity	5000KG	6000KG
Lift height	3000mm	3000mm
Fork size	1070 × 150 × 50mm	1220 × 150 × 60mm
Length(without fork)	3240mm	3490mm
Width	1480mm	1995mm
Overhead Guard Height	2275mm	2450mm
Weight	6660KG	9000KG

SCC70



SCC100



Model	SCC70	SCC100
Power type	Diesel	Diesel
Rated capacity	7000KG	10000KG
Lift height	3000mm	3000mm
Fork size	1220 × 150 × 70mm	1220 × 170 × 80mm
Length(without fork)	3570mm	4345mm
Width	1995mm	2260mm
Overhead Guard Height	2450mm	2560mm
Weight	9500KG	12500KG



- CUSTOMIZABLE HEIGHT AVAILABLE.
- CUSTOMIZABLE ENGINE AVAILABLE.



LPG FORKLIFT

LPG20/25



Model	LPG20	LPG25
Power type	Gasoline/LPG	Gasoline/LPG
Rated capacity	2000KG	2500KG
Lift height	3000mm	3000mm
Fork size	1070 × 120 × 40mm	1070 × 120 × 40mm
Length(without fork)	2480mm	2630mm
Width	1150mm	1150mm
Overhead Guard Height	2120mm	2120mm
Weight	3260KG	3510KG

LPG30/35



Model	LPG30	LPG35
Power type	Gasoline/LPG	Gasoline/LPG
Rated capacity	3000KG	3500KG
Lift height	3000mm	3000mm
Fork size	1070 × 125 × 45mm	1070 × 125 × 45mm
Length(without fork)	2680mm	2730mm
Width	1225mm	1225mm
Overhead Guard Height	2120mm	2120mm
Weight	4100KG	4390KG

● CUSTOMIZABLE HEIGHT AVAILABLE. ● CUSTOMIZABLE ENGINE AVAILABLE.



COMMON ATTACHMENTS



Adjustable Distance Fork



Down Tilt Fork



Barrel Clamp



Cylinder Holding Clamp



Soft Clamp




Steel Tube Clamp



Triple Gantry



Ejector



Flat Bucket



Multifunction Bucket



Fork Arm



Ejector



Log Grapppler



Air Conditioner



Solid Tire



Agricultural Tire

COMMON ATTACHMENTS

